

CLAIMS

- 1 1. A networked computer system comprising:
2 (A) a first computer system comprising:
3 a first processor;
4 a first memory coupled to the first processor;
5 a first data structure residing in the first memory;
6 a first application residing in the first memory;
7 a trigger mechanism residing in the first memory and executed by the first
8 processor that detects a change to the first data structure and, in response, invokes
9 the first application;
10 a software tool residing in the memory that is invoked by the first
11 application to retrieve information from the data structure and to format the
12 information into a defined format;
13 (B) a secure communication mechanism that provides encoded messages between
14 the first computer system and a second computer system, the secure communication
15 mechanism transmitting the formatted information from the first computer system to the
16 second computer system;
17 (C) the second computer system comprising:
18 a second processor;
19 a second memory coupled to the second processor;
20 a second data structure residing in the memory;
21 a second application residing in the second memory, the second
22 application receiving the formatted information from the secure communication
23 mechanism;

[illegible]

28
29
30
31
32
33
34
35
36
37
38
39
40
41
42

00000000-10000000

- 1 17. A method for doing business comprising the steps of:
 - 2 monitoring for changes a first data structure in a first computer system;
 - 3 detecting a change to the first data structure;
 - 4 in response to the detected change in the first data structure, extracting first
 - 5 information from the first data structure;
 - 6 formatting the first information;
 - 7 sending the formatted first information to the second computer system for
 - 8 processing via a secure communication mechanism that provides encoded messages
 - 9 between the first computer system and the second computer system;
 - 10 parsing the formatted first information;
 - 11 acting upon the parsed information according to business logic residing in the
 - 12 second computer system; and
 - 13 generating a response to the first computer system that indicates status of the
 - 14 processing of the data.

00227-12300

- 1 18. A method for an insurance company that has a first computer system to do business
- 2 with an insurance underwriter that has a second computer system, the method comprising
- 3 the steps of:
- 4 a trigger program executing on the first computer system monitoring a first
- 5 database in a first computer system for changes;
- 6 the trigger program detecting a change to the first database, the change
- 7 corresponding to a new application for an insurance policy;
- 8 in response to the detected change in the first database, invoking a first software
- 9 application on the first computer system to extract first information from the first
- 10 database, the first information corresponding to information in the new application for an
- 11 insurance policy;
- 12 the first software application formatting the first information into an XML
- 13 document according to information contained in a mapping file that defines the structure
- 14 and content of the XML document;
- 15 the first software application sending the XML document to a second application
- 16 executing on the second computer system via a virtual private network that provides
- 17 encoded messages between the first computer system and the second computer system;
- 18 the second software application parsing the XML document;
- 19 the second software application acting upon information in the parsed XML
- 20 document according to insurance underwriting logic residing in the second computer
- 21 system; and
- 22 the second software application generating a response XML document and
- 23 sending the response XML document to the first computer system that indicates whether
- 24 the new application for the insurance policy is approved.

